


Features...



Dynamic Form Fill (DFF)

Send data to your P.M.S (Property Management System) or in-house system without the need for costly interfaces. DFF (Dynamic Form Fill) allows PassportScan to forward data to practically any PMS in the market. Scan the document and press one key to fill out the guests profile fields in seconds

Regular guests

Details of guests who have stayed before are easily found in PassportScan. With no need to rescan, the arrival is created with one click and the check-in is even faster.



Statistics

At any moment all kinds of statistics about customers can be available: Total monthly number of arrivals, more frequent nationality, number of adults and children who stay in the hotel, means (averages).



Data importing

PassportScan can import arrival information from your PMS, from online bookings and from travel agents forms. Data such as Room rate, Length of stay, Room type, etc... can be imported in XML, CSV and TXT. This combines with the ID information of the guest, and auto-fills the digital registration card which the guest can view.





PassportScan®

Features...



Address Validation Engine (AVE)

Unlike other systems PassportScan is able to read address information from ID documents. Using Google API our Address Validation Engine verifies, adds and corrects extra address details.

Police data transmission

PassportScan can create and forward records and statistics to the Police and Government departments simply.



Export Dynamic File

You can now create a file containing the scanned data to export to your PMS, choosing the fields you want export, the order and including the client's photo, if required. This feature allows full integration in a easy way with your PMS.

With DFF (Dynamic form fill) or Dynamic exporting (CSV,TXT,XML) all the necessary data is transferred directly to the guest PMS profile.

Opera
Fidelio
Sigh-Ulyses
Galaxy Hotel
Hotel ++

ASA-j

SiHot

Protel

HOP2000

Hotel 3°



Biometric digital signature

An authentication method that uses the dynamics of a person's handwritten signature. The pen pressure and duration of the signing process, which is done with a stylus on a touch screen or digital-based pen tablet, is recorded as an algorithm that is compared against future signatures.




Supported PMS...

PMS / Interface, version	Company	URL
ASA-j	ASA di Perktold & Spitaler Snc	www.asaon.com
Fidelio 6, 7, 8	MICROS Systems, Inc.	www.micros-fidelio.eu
Galaxy Hotel	EuroSoft SAG	www.galaxyhotelcloud.net
Scrigno, Hotel ++	GP Dati Spa	www.gpdati.com
Suite 4, Hotel 3°	Ericsoft Srl	www.ericsoft.com
HotelCUBE	Proxima	www.hotelcube.eu
HOP2000	Dylog Italia Spa	www.dylog.it
Opera 2, 3, 4, 5	MICROS Systems, Inc.	www.micros-fidelio.eu
Protel	Protel Hotelsoftware	www.protel-net.com
Sigh-Ulyses	Tesipro	www.tesipro.com
SiHot	Gubse AG	www.gubse.com

Supported Hardware...

PS4000



Single side scan (fast and accurate. This is the standard device to scan documents).
 Fast and Safe: Its small size (A6) and its consolidated technology allows in a few seconds to scan a document, encrypt and archive it, following the Privacy laws.
 Updated Recognition: Passport, ID and Driver's latest version are fully recognized. Regularly the scanner is updated with new template documents. The full list can be viewed here.

Sensor	CIS contact AUTO
Resolution (dpi)	600
Scan Area	A6 max
Scan Modes	1bit - 48bit (intl.)
Scan Speed	8 Sec.
Dimensions	234 * 145 * 40 mm
Weight	0,900 kg
Interface	2 USB (1 USB 2.0)
Power supply	via USB

PS-Wireless



WiFi PC Tablet for check-in with signature like: registration and satisfaction card, all PDF, invoices and special guest requests.

OS	Windows® 7 Professional original 32
Processor	Intel® Atom™ Z670 (1,50 GHz, caché L2 de 512 KB, 667 MHz FSB)
Memory, maximum	2 GB 800 MHz DDR2 SDRAM
Internal drive	Solid State Drive Up to: 64 GB
Display	8.9" diagonal WSVGA wide-viewing angle touchscreen (1024 x 600 or 1024 x 768 for some applications)
Graphics	Intel Graphics Media Accelerator 600
Dimensions	234 * 15 * 150 mm
Weight	> 0,69 kg
Interface	USB 2.0 1 integrated microphone 1 combo stereo headphone/mic jack 1 power connector/HP Slate Cradle connector
Power supply	>30W AC adapter



PassportScan®

Supported Hardware...

SignPad520



Passportscan recommends **WACOM STU-520** for Digital Signature

Display	TFT LCD, colour
Size	104 x 60 mm (diagonal 4,7")
Resolution (dpi)	800 * 400 pixels
Dimensions	190 * 162 * 157 mm
Weight	0.3 kg
Interface	1 USB 2.0
Power supply	via USB

CS7000



Single side scan (fastest, recommended for larger hotels/convention center).

Sensor	CMOS
Resolution (dpi)	400, (3.1 Mpxl - RGB 24 bit)
Scan Area	Sheetfed scanner
Scan Modes	1bit - 48bit (intl.)
Scan Speed	2 Sec.
Dimensions	150 * 83 * 38 mm
Weight	< 1.0 kg
Interface	1 USB 2.0
Power supply	via USB

DTU-1031



General Specifications

Dimensions (W x H x D, excluding stand)	310 x 211 x 14 mm / 12.2 x 8.3 x 0.55 inch
Weight (including stand)	990 g / 2.18 lbs (without cable)
Stand inclination	2 fixed positions, 15° and 20° horizontal with integrated stand
Power supply	via USB bus, no additional power adapter required
Power consumption	5 W maximum, 1 W in sleep mode
Communication interface	USB 2.0 (high speed)
Supported operating systems	Windows® 8 / 7 / Vista / Vista x64 / XPTM (excl x64 version) Mac OS X 10.6.8 or later

Supported Hardware...

LCD Screen

Main body color	dark grey
Display	IPS TFT Display, LED backlight
Cover plate surface	Tempered anti-glare etched glass with anti-reflective coating
Screen diagonal	256.5 mm / 10.1"
Aspect ratio	16:10:00
Resolution	WXGA, 1280 x 800 pixels
Viewing angles (horizontal/vertical)	170° / 170°
Colours	262,144 colours
Luminance (brightness)	210 cd/m2
Contrast ratio	800:1 (typical), 600:1 (minimum)
Response time	TR 14 ms, TF 11 ms
Backlight lifetime	20,000 hours

Tablet and pen

Technology	Electromagenetic Resonance (EMR)
Active area	216.96 x 135.60 mm / 8.54 x 5.34 inch
Resolution	2.540 lpi (non interpolated)
Coordinate accuracy	±0.5 mm / ±0.02 inch (center)
Report rate	200 points per sec. (non interpolated)
Pressure levels	512 (non-interpolated)

Miscellaneous

Reading height	5 mm / 0.2 inch (center)
Pen storage	Integrated pen compartment, pen holder
Graphics card	any graphics card
Wall mount	VESA 75 mm
Software	Compatible with signature / E-signing software and Wacom's sign I pro PDF
Package content	Package content Interactive pen display with integrated stand, cordless and battery-free pen, USB Y-cable (3 m / 9.84 ft), installation CD (Wacom driver, product information), quick start guide, pen tether (nylon fiber, 50 cm / 19.7 inch), 5 extra nibs, nib removal tool, 4 VESA mounting screws, pen compartment cover, USB plug attachment
Operating temperature, relative humidity	+5° to +35°C / +41° F to +95° F, 20% to 80% (non-condensing)
Storage temperature, relative humidity	-10° to +60°C / -14° F to +140° F, 20% to 90% (non-condensing)
Warranty	depending on region and channel of purchase – please inquire for details

Passportscan Limited

29 Harley Street - London W1G 9QR, United Kingdom



Our Customer...

Our clients include hotels all over the world including:





Supported Document...

Europe

Albania	DL
Andorra	DL
Austria	ID
Belgium	ID, DL
Bosnia	ID, DL
Bulgaria	ID, DL
Croatia	ID (all versions)
Cyprus	ID
Czech	ID, DL
Denmark	DL
Estonia	ID, DL
Finland	ID, DL
France	ID (National & Resident), DL
Germany	ID (all versions) (National & Resident), DL
Greece	DL
Hungary	ID, DL
Ireland	DL
Island	DL
Israel	DL\
Italy	ID (all versions), DL
Kosovo	ID, DL
Liechtenstein	ID
Lithuania	ID
Montenegro	ID, DL
Netherlands	ID (National & Resident), DL
Norway	DL (all versions)
Poland	ID, DL
Portugal	ID, DL
Romania	ID, DL
Russia	DL
Serbia	Only passport
Slovakia	ID, DL
Slovenia	ID
Spain	ID (National & Resident & EU), DL
Sweden	Only passport
Switzerland	ID
Turkey	ID, DL

America (North)

Canada	ID, DL, Citizen Card
USA, all states	ID, DL, Green Card, Social Security C., US Army
USA, New York	NY Police Department

America (South)

Argentina	ID, DL
Bahamas	DL
Bermuda	DL
Bolivia	ID
Brazil	ID, Titulo electoral
Chile	ID
Columbia	ID
Costa Rica	ID
Dominican Republic	ID
Ecuador	ID
El Salvador	ID, DL
Guatemala	ID, DL
Haití	ID
Honduras	ID
Mexico	DL, Matricular consular

Asia

Bahrain	ID
Brunei	ID, Citizen Card
China – Macao	ID
China - Hong Kong	ID
India	Only Passport
Indonesia	Only Passport
Malaysia	ID
Oman	ID, DL
Philippines	Only Passport
Qatar	ID, DL
Saudi Arabia	ID
Singapore	ID, DL, Work Permit
Thailand	ID
UAE	ID, DL

Africa

Egypt	ID
Kenya	ID
Mauritania	ID
Morocco	ID
Nigeria	ID, DL
South Africa	ID, DL

Oceania

Australia (All Countries)	ID, DL, Age Proof
New Zealand	DL